

# CLINICAL TRIALS WATCH

ACCESSIBLE EASY READ INFORMATION ON:

**MK-1167-008 STUDY**

# MK-1167-008 study

## 1. Study Information

<b>Name of the study</b>	A study to evaluate the efficacy and safety of MK-1167 in participants with Alzheimer's disease dementia
<b>Study sponsor</b>	Merck Sharp & Dohme LLC
<b>Disease</b>	Mild to moderate Alzheimer's disease dementia
<b>Phase</b>	Phase II

## 2. Information about the drug that will be tested in the study

<b>Name of drug</b>	MK-1167
<b>Administration</b>	Oral capsule once daily
<b>Is the drug already on the market for another medical condition?</b>	No
<b>Will all participants receive the same drug?</b>	<p>Participants will be selected by chance to receive one of the following options:</p> <ul style="list-style-type: none"><li>• Oral capsules of MK-1167 (3mg)</li><li>• Oral capsules of MK-1167 (1mg)</li><li>• Oral capsules of MK-1167 (0.3mg)</li><li>• Oral capsules of placebo (also called a dummy treatment which is an inactive substance identical in appearance to the drug being tested with no active therapeutic effect).</li></ul> <p>Neither the participant nor their doctor will know if the person is receiving the investigational drug or the placebo.</p>

## 3. Information about participating in the trial

<b>What are the researchers trying to find out?</b>	<ul style="list-style-type: none"><li>• The study will evaluate the safety and efficacy of MK-1167 as adjunctive therapy in people with mild to moderate Alzheimer's disease dementia. Researchers want to learn if giving MK-1167 along with acetylcholinesterase inhibitor therapy can improve symptoms of Alzheimer's disease dementia, such as memory and mental activity.</li></ul>
---	--

<b>How long will the treatment last?</b>	<ul style="list-style-type: none"> <li>• The treatment will last 6 months</li> <li>• Before the treatment period, the participant will take part in a screening period of up to 3 months</li> <li>• After the end of treatment, participants will be followed for 1 month.</li> </ul>
<b>What your involvement will entail?</b>	<ul style="list-style-type: none"> <li>• During the study, participants will be asked to complete tests that will assess their memory, cognition, functional, behaviour and activities of daily living (ADAS-Cog11, ADCS-CGIC, ADCS-AD, ADCS-CGIC, ADCS-ADL)</li> <li>• Complete some laboratory tests and neurological examination to evaluate the emergent adverse events (unfavourable signs, symptoms or diseases temporally associated with the use of the drug tested in the study).</li> </ul> <p>Further information on the procedures, tests and number of visits can be obtained from the study team.</p>

<b>4. Who can participate in this study?</b>	
<b>Who can participate in the study?</b>	<p>To take part in the study, participants must:</p> <ul style="list-style-type: none"> <li>• Be between 55 and 90 years old</li> <li>• Have a diagnosis of mild to moderate Alzheimer's disease dementia, based on the Alzheimer's Association Revised Criteria for Diagnosis and Staging of Alzheimer's Disease</li> <li>• Have a score between 12-24 in the MMSE score. This would suggest that the person has an impairment in their memory that is at a mild to moderate stage</li> <li>• Use acetylcholinesterase inhibitors therapy for management of Alzheimer's disease dementia (i.e. donepezil, rivastigmine and galantamine)</li> </ul>

	<ul style="list-style-type: none"> <li>• Have a study partner who has a sufficient contact with the participant, is willing to participate in study procedures throughout the study duration.</li> </ul>
	<p>Exclusion criteria include:</p> <ul style="list-style-type: none"> <li>• Diagnosis of a clinically relevant central nervous system disease other than Alzheimer's disease dementia or major brain trauma that negatively impacts cognition or cognitive status chronically</li> <li>• A disease that may interfere with the safety or study assessments (e.g., Human immunodeficiency virus, syphilis, hepatitis, nonviral hepatitis, cirrhosis, malignancies, autoimmune liver diseases)</li> <li>• Major medical illness or unstable medical condition</li> <li>• History of malignancy, stroke, cerebrovascular disease, seizures or epilepsy</li> <li>• Residence in a nursing home or assisted care facility with need for direct continuous medical care and nursing supervision.</li> </ul> <p>The above list is not exhaustive. It includes the most common conditions and diseases that might exclude people from the study.</p>

## 5. Where and when will the study be conducted?

European country involved in the trial	<ul style="list-style-type: none"> <li>• Belgium</li> <li>• Italy</li> <li>• Netherlands</li> <li>• Spain</li> <li>• UK</li> </ul>
--	--

<b>Estimated start date of recruitment</b>	April 2025
--	------------

<b>6. Information for your doctor</b>			
<b>Clinicaltrials.gov identifier</b>	NCT06721156	<b>EU CT Number</b>	2024-515539-31-00
<b>Study contact information</b>	<a href="mailto:Trialsites@msd.com">Trialsites@msd.com</a>		
<b>Link to full text</b>	<a href="https://clinicaltrials.gov/study/NCT06721156">https://clinicaltrials.gov/study/NCT06721156</a>  <a href="https://euclinicaltrials.eu/ctis-public/view/2024-515539-31-00">https://euclinicaltrials.eu/ctis-public/view/2024-515539-31-00</a>		

- ✓ The information contained in this document is based on information available on public registries (e.g. clinicaltrials.gov, CTIS websites) in November 2025.
- ✓ This document has been reviewed by the pharmaceutical company running this trial.